
## RYNO® BENCH -> FLOOR FIXING




These instructions apply only when fixing to a concrete floor with no obstructions (e.g. under floor heating, cables, plumbing, etc.). When fixing to any other surface, or with obstructions, please contact your Pineapple representative for further advice

## REQUIRED ITEMS

- → 1x fixing template
   (only provided with floor fixed version)
   → 2x floor brackets
   (only provided with floor fixed version)
   → 2x M5 pointed screws
   (only provided with floor fixed version)
   → 8x concrete hardware fixings
   → 1x masonry drill bit
- → Handheld power drill
   → 1xT25 security drill bit
   → Wrench/socket set

## RYNO® BENCH -> FLOOR FIXING



## **DISCLAIMER**

<ul> <li>⇒ Ensure the proper and adequate hardware is used to secure furniture</li> <li>⇒ Ensure fixings are appropriate for the anchoring material</li> <li>⇒ Use fixings of an appropriate strength and consider using security fixings in challenging environments</li> <li>⇒ Consider using high strength thread-locker on fixings in challenging environments</li> <li>⇒ Ensure all gaps are sealed with the appropriate anti-pick mastic after product installation if necessary</li> <li>→ Please read all instructions carefully to ensure proper installation. Failure to read and follow instructions may result inadequate product installation and void of warranty</li> <li>→ Pineapple shall not be held liable for any consequences caused by the improper installation of products to the installer or the end user</li> </ul>

