



KEY FEATURES

- Specifically designed for children aged 8-11 (stature range 52"-62")
- Anti-microbial, wipe-clean material protects throughout the product
- Water-resistant, UV stabilized material makes items suitable for outdoor use



→ Core colors



MATERIAL/FABRICATION

Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Small holes drilled in the seat make it suitable for outdoor use. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product. Item is fully recyclable as polyethylene can be melted down to create a whole new product

TEST STANDARDS

- Tested to ANSI/BIFMA X5.5:2012 standards
- Fire retardant to CAL 133 and UL 94 HB
- Strength and stability tested for severe contract use
- UV resistance tested to UV 21+ stating it can withstand 21,000 sunlight hours

OPTIONS

- Weighted model (66 lbs.)
- Floor fastening solution
- Linking bracket to connect chairs

COLOR/FINISH

[Core colors] Moonwalk Gray, Cool Green, Icon Purple, Epic Blue, Granite [Non-core colors] Lime Green, Vegas Yellow, Thunder Gray, Dusty Blue, Dusty Pink, Teal, Violet Purple, Warm Terracotta

ASSEMBLY

Arrives assembled and ready to use

INSTALLATION/FITTING

Additional weighting can be carried prior to delivery. Please advise if floor fixing is required when ordering as fixed items are made differently. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void

MAINTENANCE

Our multi-purpose Ryno cleaning wipes are available to help keep your Ryno products looking their best. Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat

WARRANTY

Lifetime guarantee against all manufacturing faults

Due to the nature of the rotational molding process, flat surfaces on Ryno[®] products may feature slight undulations which do not detract from the product's strength or durability