



KEY FEATURES

- Heavily weighted to 143lbs as standard to deter misuse (other weight options available)
- Gentle and calming rocking motion
- Sloped arms and low back designed to minimize ligature risks
- Hygienic wipe-clean material
- Water-resistant, UV-stabilized material which is 100% recyclable
- Strength and stability tested for severe contract use
- Polyethylene material is 100% recyclable

Please note: Drainage holes and outdoors usage is not recommended as exposure to the elements may cause surface discoloration

Lifetime guarantee

Weighted options

Fire retardant

100% LDPE

MATERIAL/FABRICATION

Rotationally molded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilized shell. Hygienic wipe-clean surface, quick to dry ready to be used again quickly. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product. Item is fully recyclable as polyethylene can be melted down to create a whole new product.

TEST STANDARDS

- Fire retardant to CAL 133 and UL 94 HB
- UV resistance tested to UV 21+ stating it can withstand 21,000 sunlight hours

ASSEMBLY

Arrives assembled and ready to use

WARRANTY

Lifetime guarantee against all manufacturing faults

OPTIONS

- Not floor fixable due to the rocking motion
- Lightweight model (46.3lb) 1RYR-00
- Weighted model (143lbs) - 1RYR-65
- Anti-tip stopper
- Optionally made with 40% reused content

COLOR/FINISH

CORE COLORS

Granite

Icon Purple

Moonwalk Gray

Cool Green

Epic Blue

Sand

Teal

Violet Purple

Dusty Blue

Dusty Pink

Warm Terracotta

Thunder Gray

Lime Green

Vegas Yellow

NON-CORE COLORS

these colors have a minimum order quantity of 12 units

## INSTALLATION/FITTING

Additional weighting can be carried out prior to delivery. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void

## MAINTENANCE

Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat. Read more here <https://us.pineapplecontracts.com/upholstery/care-guidance/>

## DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape .

Due to the nature of the rotational molding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.

Please note: Drainage holes and outdoors usage is not recommended as exposure to the elements may cause surface discoloration

1RYR  
34.13"H | 29.96"W | 39.05"D (in)

