



KEY FEATURES

- Distinctive cylindrical profile, available as a chair or armchair
- Hygienic, non-porous and easy to clean
- Strong, seamless one-piece construction
- Supportive dining-height seating with an 18" seat height
- Water-resistant and UV stabilised material
- 100% recyclable material
- Optional 180° swivel with floor fixing for easier access and added stability, while also supporting sensory regulation
- Strength and stability tested for severe contract use



MATERIAL/FABRICATION

The **Ryno® Kino** seating range combines a compact, contemporary form with the robust construction required for challenging environments. Available as both a chair and armchair, its distinctive cylindrical profile provides a supportive seating solution particularly suited to dining, communal, and social spaces where efficient use of space is important.

The chair and armchair are manufactured from UV-stabilized, rotationally molded low-density polyethylene (LDPE), creating a strong, seamless, and water-resistant construction that is hygienic and easy to clean. The nonporous material contains no organic matter that could provide a food source for bacteria or bedbugs and is 100% recyclable. Kino can be specified for indoor or outdoor use; however, because the standard design does not include a water runoff feature, outdoor suitability must be requested at the time of order.

With an 18" seat height, Kino offers a familiar dining-height position that supports comfortable sit-to-stand movement. To accommodate different environmental and security requirements, the range can be specified as weighted or floor-mounted. An optional 180° swivel is also available with floor mounting, providing added stability and security. The swivel base and integrated stopper use the same proven mechanism as the Mollu Tub Chair.

TEST STANDARDS

- Strength and stability tested to BS EN 16139:2013 – Level 2 (severe contract use)
- Fire retardancy tested to BS 5852:2006, Ignition Source 5; CAL 133; UL 94; and DIN 66084
- Tested to ANSI/BIFMA X5.5:2012
- Tested to NFPA 261, Standard Method of Test
- Antibacterial activity tested to modified ISO 22196:2011
- Tested to ISO 11925:2020
- UK Registered Design Nos. 6544451 and 6529380

COLOR/FINISH



OPTIONS

- Hidden hard floor fixing solution
- 180° swivel with floor mounting
- Unweighted model – without arms (24 lbs) – 1RYCK-100
- Unweighted model – with arms (26 lbs) – 1RYCK-200
- *Weighted model – without arms (121 lbs) – 1RYCK-155
- *Weighted model – with arms (123 lbs) – 1RYCK-256
- Can be made suitable for outdoor use when specified at the time of order. The swivel option is not available for outdoor use.

*Kino can be specified as either a weighted or floor-mounted model. Additional weighting is not available on floor-mounted products.

DELIVERY

Core colors: 8-week lead time. Non-core colors may have longer lead times and additional costs.

ASSEMBLY

Arrives fully assembled and ready to use.

INSTALLATION/FITTING

Additional weighting can be completed prior to delivery. All products must be installed carefully and in accordance with Pineapple's product instructions, where provided. Failure to follow installation instructions may void the product warranty.

MAINTENANCE

Do not use abrasive materials, harsh cleaning agents, solvents, steam cleaners, or pressure washers. Bleach and chlorine-based disinfectants should be used with caution. Keep the product away from direct heat sources.

For full care guidance, visit:
<https://us.pineapplecontracts.com/upholstery/care-guidance/>

WARRANTY

Lifetime guarantee against manufacturing defects.

DISCLAIMER

Extreme temperature changes (e.g., a cold night followed by a warm, sunny day) may cause air inside the product to expand, resulting in temporary changes to its shape.

Due to the nature of the rotational molding process, flat surfaces on Ryno® products may feature slight undulations. These do not affect the product's strength or durability.

The optional 180° swivel mechanism is available with floor mounting only. Securing the chair to the floor helps maintain stability during rotation, reducing unwanted movement and providing a safer, more secure seating solution.

Ryno® Kino can be specified for outdoor use; however, because the standard design does not include a water runoff feature, outdoor suitability must be requested at the time of order. The swivel option is not available for outdoor use.

