

RYNO® CHAIR/TABLE → WEIGHTING



These instructions apply only when adding non-reactive ballast to additionally weight our Ryno tables and chairs. This applies to Ryno Tub chairs, Lounge chairs, Dining chairs, Club chairs and Coffee tables only.





REQUIRED ITEMS

- **1 x bag**
(provided with weighting kit)
- **1 x centre bung**
(provided with weighting kit)
- **1 x cable tie**
(provided with weighting kit)
- **1 x mallet**
- **1 x glue gun** (high temperature)
- **1 x glue stick**
(we use Tecbond 261-12-300)
- **1 x knife**






800.496.9324
inquiries@pineapplecontracts.com

RYNO[®] CHAIR/TABLE → WEIGHTING

<h2>01</h2>	<p>Remove chair and filling pack from box</p>	
	<p>Place chair upside down on a supported surface ensuring all contact areas are sufficiently padded</p>	<h2>02</h2>
<h2>03</h2>		
	<p>Carefully feed the bag provided into the inside of the chair leaving enough of the bag outside, as shown and fill the bag with the required amount of sand</p>	
	<p>When filled, twist the neck of the bag and secure the cable tie tightly around the neck of the bag to prevent leakage</p>	<h2>04</h2>

RYNO[®] CHAIR/TABLE → WEIGHTING

<h2>05</h2>	<p>Feed the remainder of the bag into the chair then place centre bung into the hole. Check it's inserted fully into position by lightly tapping it with a mallet</p>	
		<h2>06</h2>
	<p>Glue the bung into place using a hot melt glue gun. Ensure there is an unbroken ring of glue around the edge and the recess is fully filled up to the top edge of the bung, as shown</p>	
<h2>07</h2>	<p>Carefully re-box and band the completed chair. Follow your manual handling procedures, the product may now require a two man lift</p>	



800.496.9324



inquiries@pineapplecontracts.com

Pineapple

DISCLAIMER

	<ul style="list-style-type: none">→ Ensure the proper and adequate equipment/tools are used→ Please read all instructions carefully to ensure proper weighting. Failure to read and follow instructions may result in inadequate product weighting and void of warranty→ Pineapple shall not be held liable for any consequences caused by the improper weighting of products to the installer or the end user

